

TC8300 Touch Computer

The revolutionary enterprise touch computer with the ultimate Android platform

We took the TC8000, the world's most revolutionary enterprise touch computer design, and made it better. You get the same innovative ergonomic design that minimizes motion to deliver a 14 percent boost in worker productivity. We added the ultimate in processing power and memory to give your workers the lightning-fast application performance they expect. The latest in WiFi and Bluetooth technology provides your workers with the fastest and most dependable wireless device and peripheral connections, maximizing availability — and value. Comprehensive data capture options let you capture it all — barcodes, direct part marks, entire forms and more. And when it comes to Android, the TC8300 simplifies every aspect of deploying Android in your warehouse — including migration and security as well as control over updates and Google Mobile Services.



Get the Ultimate Android Platform

Android for instant familiarity

You get all the benefits of the latest version of Android, and your workers get a device they already know how to use — virtually eliminating training time and adoption curves.

Maximum power for maximum application performance

Get all the power you need to ensure superior performance on all your voice and data apps with the ultra-powerful 8-core processor, plus up to eight times the RAM and 32 times the Flash memory of the prior generation TC8000. And the advanced memory architecture delivers 10 times the typical memory lifespan.

Instantly migrate your TE apps to Android, right out of the box

With the TC8300, your users can simply use your existing TE apps — no backend modification or user training required. When you're ready, you can easily turn your 'green screens' into Android touch-centric intuitive screens that boost productivity with All-touch Terminal Emulation (TE) — no coding required.

Longer WiFi range and speed — with less power

2x2 Multiple-User Multiple Input Multiple Output (MU-MIMO) technology allows access points to communicate with multiple devices simultaneously via pinpoint beamforming, boosting WiFi network capacity, speed and range. And processing is shifted from the mobile device to the access point, extending battery cycle time.

Bluetooth 5.0 — twice the speed, four times the range, less power

Get better performance from your Bluetooth printers, headsets and more, while using less power for longer battery cycle times.

Triple-shift battery power and unsurpassed battery management

With the most battery power in this class, the TC8300 can run for three consecutive shifts without a battery change. And extensive battery metrics that make it easy to spot and retire aging batteries that can no longer hold a full charge.

A lifetime security guard for Android

With LifeGuardTM for AndroidTM, you get the security updates you need to keep your Zebra Android devices secure every day they are in service — along with easy end-to-end control of the OS update process, plus support for the next two versions of Android (P and Q).

The TC8300 — take worker productivity, comfort, ease of use and device manageability to the next level with the next evolution in warehouse mobility. For more information, visit www.zebra.com/tc8300

Provide the Ultimate User Experience

Superior ergonomics for superior productivity and comfort

The innovative scan angle eliminates the constant tilting that traditional designs require to view the screen and enter data, increasing productivity by 14% through a 55% reduction in wrist motion and a 15% reduction in muscle effort.

Flawless capture of every barcode

Give your workers first-time every-time capture of virtually any barcode in any condition with our advanced scan engines. And with five options, there is a scan engine that is perfect for your apps. The SE4850 Extended Range Imager allows you to scan 1D and 2D barcodes over an unmatched range — from 3 in./7.62 cm to 70 ft./21.4 m away — up to 60% closer and 35% farther than the competition. The industry-leading field of view enables the capture of wide 4 in./ 10.16 cm wide barcodes as close as 7 in./17.78 cm — nearly one third of the distance of competitive devices. Our SE4750 SR and MR imagers are ideal for standard and mid-range scanning. The SE4750 DP enables dependable lightning-fast capture of virtually every direct part mark. And our 'tried and true' 1D SE965 engine offers Adaptive Scanning technology that delivers the widest working range in its class.

The ultimate rugged design for the ultimate dependable operation

The TC8300 is built for day-in day-out operation in even the most challenging warehouse environments. With our most extreme impact ratings, the TC8300 continues to run, even after 2,000 consecutive tumbles and multiple 8 ft./2.4 m drops to concrete. This dustproof device can also handle jetting water, refrigerated storage areas and constant temperature swings between extreme heat and subzero cold — ideal in outside yards. And Corning Gorilla Glass brings maximum scratch-and-impact resistance to two of the most vulnerable device components — the touchpanel and scanner exit window.

industry-first hands-free proximity scanning with a handheld device

The proximity sensor automatically triggers scanning, whether the TC8300 is worn on the hip or shoulder strap or placed in a cart or on a desktop. Two modes are available — close-up scanning from near contact to 6 in./15 cm and from contact to 1.96 ft./60 cm.

Advanced touchscreen technology for flexible data input

Give your workers the best touchscreen experience. The 4 in. display offers plenty of space for graphics-intensive intuitive applications. Users can interact with applications with a finger — even with a glove — or a stylus.

Ultra high-resolution photos, videos and more

With the new optional 13 MP color rear camera, workers can capture detailed photos and videos to document proof of condition, proof of compliance and more.

Drive workforce productivity and device value to a new level with powerful new Mobility DNA apps — only from Zebra

WorryFree WiFi - dependably superior WiFi, delivered

Provide every worker with the best possible WiFi connection, every minute of every shift. This complimentary Mobility DNA tool delivers near instant application response times, unmatched roaming performance, plus exceptional voice quality and network diagnostics — everything you need to leverage your WiFi network to increase workforce productivity and better serve customers.

PowerPrecision Console — prevent aging batteries from reducing workforce productivity

This no-cost PC-based Mobility DNA solution provides an easy-to-read dashboard that allows you to quickly identify and remove aging batteries from your battery pool — before they impact workforce productivity and your operations.

End-to-end revolutionary control of the update process with LifeGuard

Updating your enterprise-class Android mobile devices is often time-consuming, costly, complex and difficult to track. Now you can do it all with LifeGuard Analytics — free with your Zebra OneCare Support contract. View available updates, the update priority level and which devices are eligible for the update. Automatically update your devices over the air with the press of a button. And easily monitor and manage the status of updates in real time.

Easily manage access to Google Mobile Services (GMS) with Restricted Mode

StageNow's new Restricted Mode delivers an industry first — an easy way to simply click to deactivate Google Mobile Services (GMS) that come standard with the operating system — and reactivate should you need them down the road. StageNow, a Mobility DNA solution, is complimentary and pre-loaded on every TC8300.

TC8300 Specifications

| Dimensions | 9.17 in. L x 2.99 in. W x 2.52 in. D |
|----------------------------------|---|
| | 233 mm L x 76 mm W x 64 mm D |
| Weight | Base: 17.2 oz./490 g; Package 1: 17.6 oz./500 g |
| Display | 800 x 480 pixels; 4.0 in. diagonal; transflective LCD display; 16.7 Million (24-bit) color support; 400 NITs |
| Touch Panel | Multi-touchprojectedcapacitive; fingertip (bareor gloved) input; conductives tylus supported (sold separately); Corning® Gorilla® Glass |
| Power | PowerPrecision+Lithiumion7000mAhwithhot swap battery backup |
| Notifications | Audible tone, multi-color LEDs, vibration |
| Keypad | On-screen keypad |
| Voice and Audio | Dualspeakers, Bluetoothwirelessheadset support |
| Performance Cha | racteristics |
| CPU | QualcommSnapdragon™660octa-core2.2GHz |
| Operating System | Android8.1OreowithZebra'sRestrictedModefor control over GMS and other services |
| Memory | Base,CondensationResistant,DPM*andPackage 1 models: 4GB RAM/32 GB Flash pSLC |
| | Package 2 models*: 8 GB RAM/128 GB 3D TLC Flash (* Available Q3 2019) |
| Storage | SDXC compliant micro SD card slot |
| App Development | EMDK available through Zebra Support Central Web site |
| User Environment | |
| Operating Temp. | -4° F to 122° F/-20° C to 50° C |
| Storage Temp. | -40° F to 158° F/-40° C to 70° C |
| Humidity | 5% - 95% non condensing (condensing resistant optional) |
| Drop Spec. | Multiple 8 ft./2.4 m drop to concrete at room temperature per MIL-STD 810G ; multiple 6 ft./1.8 m drop to concrete across full operating temperature range |
| Tumble Spec. | 2,000 3.28 ft./1 m tumbles |
| Sealing | IP65 |
| Vibration | 4 g's PK Sine (5 Hz to 2 kHz); 0.04 g 2/Hz Random (20 Hz to 2 kHz) |
| Thermal Shock | -40° F to 158° F/-40° C to 70° C rapid transition |
| Scanner Window | Corning® Gorilla® Glass |
| Electrostatic Discharge (ESD) | ±20kVdcairdischarge;±10kVdcdirectdischarge ±10kVdc indirect discharge |
| Data Capture | |
| Scanning Options | SE965: 1D standard range scan engine SE4750 SR or MR: Standard or medium range omnidirectional 1D/2D imaging engine SE4850ER:Extendedrange1D/2Dimagingengine SE4750 DP: DIrect Part Marking (DPM) imaging engine (available Q3 2019) |
| Camera | 13MP rear facing autofocus, f/2.4 aperture (optional) |
| NFC | TaptoPair, ISO 14443 Type Aand B, Felica and ISO 15693 cards, P2P mode and Card Emulation via Host (HCE) support (optional) |

Zebra Interactive Sensor Technology

| Automatically adjusts display backlight |
|---|
| |
| 3-axis accelerometer, 3-axis gyroscope |
| Sensor for automatic hands-free scanning; magnetic sensor to detect insertion in a cart mount or holster |
| |
| IEEE802.11a/b/g/n/ac/d/h/i/r/k/w;2x2MU-MIMO |
| 5GHz: 802.11a/n/ac — up to 866.7 Mbps 2.4GHz: 802.11b/g/n — up to 300 Mbps |
| Chan 36 - 165 (5180 - 5825 MHz); Chan 1 - 13 (2412 - 2472 MHz); Actual operating channels/ frequencies depend on regulatory rules and certification agency |
| WEP, WPA – TKIP, WPA2- TKIP, WPA2-TKIP AES EAP TTLS, PAP, MSCHAP, MSCHAP v2, PEAPv0- MSCHAPv2,PEAPv1-EAP-GTC,EAP-TLS,EAP-FAST, LEAP |
| Wi-Fi Multimedia™ (WMM) |
| WFA(802.11n,WMM-PS,802.11ac,PMF,WMM-AC, Voice Enterprise, WiFi Direct and WPS 2.0) |
| PMKID caching, Cisco CCKM, OKC, 802.11r |
| Bluetooth; USB 2.0 OTG Host docking interface; 802.11rand 802.11k for enterprise voice roaming included |
| |
| Class 2, Bluetooth v5.0, Bluetooth Low Energy (BLE) |
| |

۷

 $Subject to the terms of {\sf Zebra's hardware warranty statement, the {\sf TC8300}$ iswarranted against defects in work manship and materials for a period of 1 (one)yearfrom the date of shipment. For complete warranty statement, go to: http://www.zebra.com/warranty

Recommended Services

Zebra OneCare Essential and Select: Maximize Zebra device availability, device value and operational efficiency with these fully-featured supportservices that set the industry bar for support.

Zebra Visibility Services — Asset Visibility Services (AVS) and Operational VisibilityService(OVS):OptionsonanyZebraOneCaresupportcontract,these services deliver the device management data needed to take device up time, operational efficiency and return on investment to the next level.

Mobility DNA

 $Mobility {\sf DNAsolutions help you get more value out of our mobile computers}$ byaddingfunctionalityaswellassimplifyingdeploymentandmanagementof our mobile devices. Mobility DNA is available on Android only. Features may $vary by model and a {\it Support Contract} may be required. For more information$ on these Zebra-only features and for the most recent list of supported apps, please visit: https://developer.zebra.com/mobilitydna



Markets and Applications

Warehousing/ Distribution

- Warehouse management
- Truck unload/load
- Picking
- Put away
- Replenishment
- Packing
- Shipping
- · Returns processing
- EDI transactions
- Yard management

Retail

- · Back of store warehouse management
- Price audits/changes
- · Store receiving
- Inventory management
- In-store communications

Manufacturing

- Inventory management
- Re-work operations
- Supply-line replenishment
 - Parts tracking
 - · Maintenance/repair operations
 - · Shop floor communications
 - Compliance verification
 - · Receiving/put away/ shipping

Third-party Logistics

• Warehouse management PRODUCT SPEC SHEET TC8300 TOUCH COMPUTER



NA and Corporate Headquarters +1 800 423 0442 inquiry4@zebra.com Asia-Pacific Headquarters +65 6858 0722 contact.apac@zebra.com EMEA Headquarters zebra.com/locations contact.emea@zebra.com Latin America Headquarters +1 847 955 2283 la.contactme@zebra.com

©2019 ZIH Corp and/or its affiliates. All rights reserved. ZEBRA and the stylized Zebra head are trademarks of ZIH Corp, registered in many jurisdictions worldwide. All other trademarks are the property of their respective owners. Part number: SS-TC8300 02/22/2019