TC8000 Touch Computer



A REVOLUTIONARY DESIGN DELIVERS REVOLUTIONARY PRODUCTIVITY GAINS... ONE MORE HOUR, PER WORKER, PER SHIFT.

What makes the TC8000 so special? Everything. It's the ground-breaking all new warehouse mobile computer designed to deliver revolutionary productivity increases in the warehouse. In fact, it saves 14%* per worker versus the traditional form factors. And it's the only device on the market that simplifies it all — how your workers physically use the device and interact with your warehouse application. The TC8000 minimizes motion with an innovative scan angle that eliminates the thousands of times your workers need to tilt their device to see the screen. We integrated flexible handheld and hands-free scanning for an extra productivity boost — another industry handheld first. It's an amazing 33 percent lighter than the traditional device to minimize fatigue. And then we did something completely unprecedented by a device manufacturer — we integrated a tool that allows you to automatically transform your legacy Terminal Emulation (TE) "green screens" into elegant, graphics-based All-touch TE screens that are not only highly intuitive, but also dramatically reduce the number of interactions required to complete a task — no coding and no modifications to your host application are required. The result? Less time to complete the job and increased productivity. The TC8000 — the next big thing in warehouse mobility, only from Zebra.



Superior Ergonomics for Superior Productivity and Worker Comfort

The new scan angle eliminates the constant tilting that traditional designs require to view the screen, increasing productivity by 14% through a 55% reduction in wrist motion and a 15% reduction in muscle effort.

Mx — Making Android a More Robust Enterprise-class OS

Mobility Extensions (Mx) adds features that make Android[™] a more robust enterpriseclass OS, minimizing support time and maximizing worker productivity and device uptime by providing better control of mobile devices, application access and Wi-Fi performance and security.

Rugged and Ready for Your Warehouse

The super-rugged design is built for the challenging warehouse environment. With our most extreme impact ratings, the TC8000 operates reliably, even after 2,000 consecutive hits when tumbling and multiple 8 ft./2.4 m drops to concrete. The TC8000 is sealed, ready to handle jetting water and dust. And the TC8000 is built to handle constant temperature swings between extreme heat and cold — ideal in outside yards.

Triple-shift Battery Power and Unsurpassed Battery Management

With the largest battery in its class, the TC8000 has ample power for three shifts. The PowerPrecision+ battery provides extensive battery metrics that make it easy to spot and retire aging batteries that can no longer hold a full charge. And the battery can be changed in seconds — without powering down.

Capture Multiple Barcodes and Entire Forms with a Single Scan with SimulScan

SimulScan makes it easy to capture labels on boxes and pallets that contain many barcodes, plus text fields, check boxes, signatures and more on printed forms.

An Industry First — Hands-free Proximity Scanning with a Handheld Device

The imager can be automatically triggered by the proximity sensor, whether the TC8000 is worn in the hip holster, on the shoulder strap or in the cart or desktop mount. Two modes are available — close-up scanning from near contact to 6 in./15 cm and from contact to 1.96 ft./60 cm.

Advanced Barcode Scanning Options

If you need long range 1D/2D scanning, handle all your scanning needs with the extended range SE4850. Capture barcodes from 3 in./7.62 cm to 70 ft./21.4 m away — up to 60% closer and 35% farther than the competition. And with an industry-leading field of view, wide 4 in./ 10.16 cm wide barcodes can be captured at just 7 in./ 17.78 cm — nearly one third of the distance of competitive devices. Our SE4750 SR and MR imager are ideal for standard and mid-range scanning. Both the SE4850 and SE4750 offer Zebra's proprietary PRZM Intelligent Imaging technology for unparalleled performance on just about any type of data imaginable. And our 'tried and true' 1D SE965 engine offers Adaptive Scanning technology that delivers the widest working range in its class. All options capture barcodes in practically any condition.

Transform "Green Screens" to All-touch Screens — No Coding or Host Modification

All-touch TE gives the front end of your Terminal Emulation apps a smart and intuitive touch interface, automatically — and your legacy TE green screens are always available to workers at the press of button. Create custom keyboards for different application screens to simplify data entry. And All-touch TE is pre-loaded and pre-licensed, ready to boost productivity right out of the box.

Advanced Touchscreen Technology for Flexible Data Input

With our industry leading touch screen technology, workers can use a finger, a stylus or a gloved finger to interact with your apps, complete with multi-touch support.

INCREASE WORKER PRODUCTIVITY BY 14% IN YOUR WAREHOUSE WITH THE TC8000.

FOR MORE INFORMATION, VISIT WWW.ZEBRA.COM/TC8000 OR ACCESS OUR GLOBAL CONTACT DIRECTORY AT WWW.ZEBRA.COM/CONTACT

TC8000 Specifications Chart

DUVSICAL AND ENVIDONMENTAL CHADACTEDISTICS

PHYSICAL AN	D ENVIRONMENTAL CHARACTERISTICS						
Dimensions	9.17 in. L x 2.99 in. W x 2.52 in. D 233 mm L x 76 mm W x 64 mm D						
Weight	Standard: 17.2 oz./490 g; Premium: 17.6 oz./500 g						
Display	800 x 480 pixels; 4.0 in. diagonal; transflective LCD display; 16.7 Million (24-bit) color support; 400 NITs						
Touch Panel	Multi-touch projected capacitive; fingertip (bare or gloved) input; conductive stylus supported (sold separately); Corning® Gorilla® Glass						
Power	PowerPrecision + Lithium ion 6700 mAh with hot swap battery backup						
Notifications	Audible tone, multi-color LEDs, vibration						
Keypad	On-screen keypad						
Voice and Audio	Dual speakers, Bluetooth wireless headset support						
Expansion	USB, Serial for ISV developers (optional)						
PERFORMANC	CE CHARACTERISTICS						
CPU	Dual core 1.7 GHz processor						
Operating System	Android AOSP 5.1.x (Lollipop) with Mobility Extensions (Mx)						
Memory	Standard model: 1GB RAM/4 GB Flash pSLC Premium model: 1 GB RAM/8 GB Flash pSLC Premium model optional: 2 GB RAM/16 GB Flash pSLC						
Storage	SDXC compliant micro SD card slot						
App Development	EMDK available through Zebra Support Central Web site						
DATA CAPTUR	DATA CAPTURE						
Scanning Options	SE965: 1D standard range scan engine SE4750 SR or MR: Standard or medium range omnidirectional 1D/2D imaging engine SE4850 ER: Extended range 1D/2D imaging engine						
Camera	8MP autofocus, f/2.4 aperture (optional)						
NFC	Multi-protocol NFC (optional)						
ZEBRA INTERACTIVE SENSOR TECHNOLOGY							
Light Sensor	Automatically adjusts display backlight						
Matten Concer							
Motion Sensor	3-axis accelerometer; 3-axis gyroscope (optional)						
Navigation	3-axis accelerometer; 3-axis gyroscope (optional) Digital compass (optional)						
Navigation	Digital compass (optional) Sensor for auto hands free scanning						
Navigation Proximity	Digital compass (optional) Sensor for auto hands free scanning						
Navigation Proximity USER ENVIRO	Digital compass (optional) Sensor for auto hands free scanning MMENT						
Navigation Proximity USER ENVIRO Operating Temp.	Digital compass (optional) Sensor for auto hands free scanning MENT -4° F to 122° F/-20° C to 50° C						
Navigation Proximity USER ENVIRO Operating Temp. Storage Temp.	Digital compass (optional) Sensor for auto hands free scanning MENT -4° F to 122° F/-20° C to 50° C -40° F to 158° F/-40° C to 70° C						
Navigation Proximity USER ENVIRO Operating Temp. Storage Temp. Humidity	Digital compass (optional) Sensor for auto hands free scanning NMENT -4° F to 122° F/-20° C to 50° C -40° F to 158° F/-40° C to 70° C 5% - 95% non condensing (condensing resistant optional) Multiple 8 ft./2.4 m drop to concrete at room temperature per MIL-STD 810G ; multiple 6 ft./1.8 m drop to concrete						

*	Results a	re de	nendent	unon	use	case	and	scan	frequency.	



Vibration

NA and Corporate Headquarters +1 800 423 0442 inquiry4@zebra.com

Sine 5-2000 Hz, 4g peak, 1 hour per axis; random 20-2000 Hz, 6g RMS or 0.04g2/Hz, 1 hour per axis

> Asia-Pacific Headquarters +65 6858 0722 contact.apac@zebra.com

EMEA Headquarters zebra.com/locations mseurope@zebra.com Latin America Headquarters +1 847 955 2283 la.contactme@zebra.com

THE TC8000 IS AT HOME IN...

Warehousing/ Distribution

- · Warehouse management
- Truck unload/load
- · Picking
- Put away
- · Replenishment
- Packing
- Shipping
- Returns processing
- EDI transactions
- Yard management

Retail

- Back of store/ warehouse management
- Price audits/changes
- Store receiving
- Inventory management
- In-store communications

Manufacturing

- Inventory management
- · Supply-line replenishment
- · Parts tracking
- · Maintenance/repair operations
- Shop floor
- communications Compliance verification
- Receiving/put away/ shipping

Third-party Logistics

• Warehouse management

©2016 ZIH Corp and/or its affiliates. All rights reserved. Zebra and the stylized Zebra head are trademarks of ZIH Corp registered in many jurisdictions worldwide. All other trademarks are the property of their respective owners. Part number: SS-TC8000 09/2016

ward 2016

Enterprise Home Screen SwipeAssist

PERIPHERALS AND ACCESSORIES

USER ENVIRONMENT (continued)

Corning® Gorilla® Glass

±10kVdc indirect discharge

IEEE 802.11a/b/g/n/d/h/i

Wi-Fi Multimedia[™] (WMM)

Wi-FI Display (Miracast)

ADDITIONAL MOBILITY DNA SOLUTIONS

— up to 72.2 Mbps

Thermal Shock

Scanner Window

Discharge (ESD)

WIRELESS LAN

Electrostatic

Radio

Data Rates

Operating

Channels

Security and Encryption

Multimedia

Fast Roam

Network

Bluetooth

</>

Connections

WIRELESS PAN

All-touch Terminal

Certifications

-40° F to 158° F/-40° C to 70° C rapid transition

±20kVdc air discharge; ±10kVdc direct discharge;

5GHz: 802.11a/n - up to 150 Mbps; 2.4GHz: 802.11b/g/n

Chan 36 - 165 (5180 - 5825 MHz); Chan 1 - 13 (2412 -

2472 MHz): Actual operating channels/frequencies

depend on regulatory rules and certification agency

WEP, WPA - TKIP, WPA2- TKIP, WPA2-TKIP AES EAP

802.11n, WMM, WMM-PS, CCXv4, Wifi Direct,

PMKID caching, Cisco CCKM, OKC, 802.11r

TTLS, PAP, MSCHAP, MSCHAP v2, PEAPv0-MSCHAPv2, PEAPv1- EAP-GTC, EAP-TLS, EAP-FAST, LEAP

Bluetooth; USB 2.0 OTG Host docking interface; 802.11r

EMDK

and 802.11k for enterprise voice roaming included

Bluetooth 4.0 (Bluetooth® Smart technology)

Mobility DNA solutions help you get more value out of our mobile

and management of our mobile devices. For more information on

computers by adding functionality as well as simplifying deployment

these Zebra-only features, please visit www.zebra.com/mobilitydna

AppGallery

is warranted against defects in workmanship and materials for a period of 1 (one) year from the date of shipment. For complete warranty statement, go to: http://www.zebra.com/warranty

RECOMMENDED SERVICES

Zebra OneCare



Emulation SimulScan Enterprise Browser WorkForce StageNow Connect

Available Mobility DNA features may vary by model.

Visit www.zebra.com/tc8000 for a complete list of accessories and peripherals.

WARRANTY

Subject to the terms of Zebra's hardware warranty statement, the product